


# CAT

COLLECTION



Homework

CAT



DUSTPROOF



GREEN  
PRODUCT



WATER  
REPELLENT

OEKO-TEX®  
CONFIDENCE IN TEXTILES  
STANDARD 100



MADE IN THAILAND




[www.homeworkfabrics.com](http://www.homeworkfabrics.com)



# CAT

UPHOLSTERY , WATER REPELLENT, DIRT Q



|             |                 |
|-------------|-----------------|
| WIDTH       | : 62" (157 cm.) |
| COMPOSITION | : POLY 100%     |
| WEIGHT      | : 248 GSM.      |



---

NAVY BLUE  
#1141/29



---

DEEP GRAY  
#1141/25



---

BLACK DIAMOND  
#1141/01



---

BEIGE  
#1141/02



---

CREAMY  
#1141/03



---

LATTE  
#1141/04



---

KHAKI  
#1141/05



---

COFFEE  
#1141/06




---

CHOCOLATE  
#1141/07



---

LIGHT ONYX  
#1141/08




---

YELLOW  
#1141/09



---

ORANGE  
#1141/10



---

MANDARIN  
#1141/11



---

FIRE BRICK  
#1141/12




---

CHILLI  
#1141/13



---

RUBY  
#1141/14



---

MILLENNIUM  
#1141/15



---

DUSK  
#1141/16



---

SHOCKING PINK  
#1141/17




---

PALE VIOLET  
#1141/18



---

DARK STATE BLUE  
#1141/19



---

INDIGO  
#1141/20



---

DARK PLUM  
#1141/21




---

GRANET  
#1141/22



---

DIMGRAY  
#1141/23



---

MEDIUM GRAY  
#1141/24




---

DARK GRAY  
#1141/26




---

SKY BLUE  
#1141/27



---

ROYAL BLUE  
#1141/28



---

MIDNIGHT BLUE  
#1141/30



---

DARK BLUE  
#1141/31



---

OLIVE  
#1141/32



---

LICHEN  
#1141/33



---

DEEP SEA GREEN  
#1141/34



---

APPLE  
#1141/35



---

GREEN  
#1141/36



---

FOREST GREEN  
#1141/37



---

SEAWEED  
#1141/38



---

LIGHT SEA GREEN  
#1141/39



---

BLUE GREEN  
#1141/40




---

LIGHT BLUE  
#1141/41

# CAT #1141

| TEST REPORT                     | METHOD        | RESULT     |        |
|---------------------------------|---------------|------------|--------|
| COLOR FASTNESS TO LIGHT         | ISO 105 - B02 |            | 5      |
| COLOR FASTNESS TO RUBBING       | ISO 105 - X12 | (DRY) WARP | 4-5    |
|                                 |               | (DRY) WEFT | 4-5    |
|                                 |               | (WET) WARP | 4-5    |
|                                 |               | (WET) WEFT | 4-5    |
| TENSILE STRENGTH                | ISO 13934     | WARP       | PASS   |
|                                 |               | WEFT       | PASS   |
| TEARING STRENGTH                | ISO 13937     | WARP       | PASS   |
|                                 |               | WEFT       | PASS   |
| PILLING RESISTANCE              | ISO 12945     |            | PASS   |
| DIMENSIONAL CHANGE AFTER 1 WASH | ISO 5077      | WARP       | PASS   |
|                                 |               | WEFT       | PASS   |
| SEAM SLIPPAGE                   | ISO 13936 - 2 | WARP       | PASS   |
|                                 |               | WEFT       | PASS   |
| ABRASION RESISTANCE (RUBS)      | ISO 12947 - 2 |            | 50,000 |

## USAGE (การใช้งาน)



## SPECIAL FEATURE SYMBOLS (สัญลักษณ์คุณสมบัติพิเศษ)



Water Repellent  
 ปรดองน้ำ



Dust proof  
 ป้องกันฝุ่น



Green Product  
 เป็นมิตรกับสิ่งแวดล้อม




OEKO - TEX  
 ปราศจากสารพิษที่เป็นอันตราย


## MACHINE WASH (สัญลักษณ์การซักผ้า)



Machine Wash Hot  
 ซักผ้าด้วยอุณหภูมิสูงสุดไม่เกิน 60°C



Tumble Dry Low  
 ปั่นหรืออบแห้งด้วยความร้อนต่ำ



Do Not Bleach  
 ห้ามฟอกขาว



Iron Medium  
 รีดโดยใช้ความร้อนปานกลาง




Dry Clean Any Solvent Except Trichloroethylene  
 ซักแห้งได้ด้วยน้ำยาทำความสะอาดทุกชนิดยกเว้น (ไตรโครโรเอทิลีน)

## POSSIBLE USAGE (สถานที่สำหรับใช้งาน)



Home  
 บ้าน, ที่พักอาศัย



Hotel  
 โรงแรม



Airport  
 สนามบิน



Hospital  
 โรงพยาบาล



Commercial Property  
 โครงการหมู่บ้านต่างๆ



Office  
 อาคาร, สำนักงาน