

# VICHITR

## Outdoor Upholstery

COLOUR FASTNESS  
SOLUTION DYED ACRYLIC

Products from  
VC FABRIC



# Outdoor Upholstery

Colour Fastness  
Solution Dyed Acrylic

## | ผ้าบุเฟอร์นิเจอร์สำหรับงานกลางแจ้ง

- **ผลิตจากเส้นใยอะคริลิกที่มีความเหนียว** น้ำหนักเบา ทนความร้อน ยับยั้งการเจริญเติบโตของเชื้อรา-แบคทีเรีย ได้ดี  
Acrylic upholstery fabric is durable, heat-resistant, and highly effective at preventing the growth of fungi and bacteria.
- **ใช้นวัตกรรมย้อมสีที่ดีที่สุด 'Solution Dyeing'**  
สีจึงติดแน่นทนทานต่อแสงแดด ไม่ซีดจางง่าย  
Utilising advanced 'Solution Dyeing' technology, the colour adheres firmly and resists fading from sunlight.
- **ใส่ใจต่อสุขภาพของผู้ใช้งาน ปราศจากสารก่อมะเร็ง**  
และสารเคมีที่อันตรายต่อสุขภาพ  
A safe and hygienic outdoor choice, free from carcinogens and chemicals dangerous to health.



\* คุณสมบัติแตกต่างกันไปตามรหัสผ้า The properties of products vary by fabric code; please refer to the label.

\*\* สีของผ้าอาจแตกต่างกันเล็กน้อย ขึ้นอยู่กับการผลิตแต่ละครั้ง Colour shades may slightly vary from dye lot to dye lot.




SSS 601/01

Outdoor Upholstery

NEW COLLECTION

Sun Sisal

Width: 150 cm (59"), Weight: 410 g/m2  
Composition: 100% Solution-Dyed Acrylic  
Abrasion Resistance: 20,000 RUBS  
FR Standard: BS EN 1021-1:2014



Colour Fastness

Water Repellent

Cigarette Resistance

Anti-Fungal

Anti-Bacterial

Durability

1,190.-/Yard





SSS 601/02

Outdoor Upholstery

NEW COLLECTION

Sun Sisal

Width: 150 cm (59"), Weight: 410 g/m2  
Composition: 100% Solution-Dyed Acrylic  
Abrasion Resistance: 20,000 RUBS  
FR Standard: BS EN 1021-1:2014



Colour Fastness

Water Repellent

Cigarette Resistance

Anti-Fungal

Anti-Bacterial

Durability

1,190.-/Yard




SSS 601/03

Outdoor Upholstery

NEW COLLECTION

Sun Sisal

Width: 150 cm (59"), Weight: 410 g/m2  
Composition: 100% Solution-Dyed Acrylic  
Abrasion Resistance: 20,000 RUBS  
FR Standard: BS EN 1021-1:2014



1,190.-/Yard



SSS 601/04

Outdoor Upholstery

NEW COLLECTION

Sun Sisal

Width: 150 cm (59"), Weight: 410 g/m2  
Composition: 100% Solution-Dyed Acrylic  
Abrasion Resistance: 20,000 RUBS  
FR Standard: BS EN 1021-1:2014



1,190.-/Yard





SSS 601/05

Outdoor Upholstery

NEW COLLECTION

Sun Sisal

Width: 150 cm (59"), Weight: 410 g/m2  
Composition: 100% Solution-Dyed Acrylic  
Abrasion Resistance: 20,000 RUBS  
FR Standard: BS EN 1021-1:2014



Colour Fastness

Water Repellent

Cigarette Resistance

Anti-Fungal

Anti-Bacterial

Durability

1,190.-/Yard





SSS 601/06

Outdoor Upholstery

NEW COLLECTION

Sun Sisal

Width: 150 cm (59"), Weight: 410 g/m2  
Composition: 100% Solution-Dyed Acrylic  
Abrasion Resistance: 20,000 RUBS  
FR Standard: BS EN 1021-1:2014



Colour Fastness

Water Repellent

Cigarette Resistance

Anti-Fungal

Anti-Bacterial

Durability

1,190.-/Yard



SCR 135/01A

Outdoor Upholstery

Sun Acrylic 2

Width: 150 cm (59"), Weight: 274 g/m2  
Composition: 100% Solution-Dyed Acrylic  
Abrasion Resistance: 18,000 RUBS  
FR Standard: BS EN 1021-1



980.-/Yard



## SCR 135/10

Outdoor Upholstery

Width: 150 cm (59"), Weight: 274 g/m<sup>2</sup>  
Composition: 100% Solution-Dyed Acrylic  
Abrasion Resistance: 18,000 RUBS  
FR Standard: BS EN 1021-1



## Sun Acrylic 2


980.-/Yard



## SCR 135/12

Outdoor Upholstery

Width: 150 cm (59"), Weight: 274 g/m2  
Composition: 100% Solution-Dyed Acrylic  
Abrasion Resistance: 18,000 RUBS  
FR Standard: BS EN 1021-1



## Sun Acrylic 2

980.-/Yard



## SCR 135/14

Outdoor Upholstery

Width: 150 cm (59"), Weight: 274 g/m2  
Composition: 100% Solution-Dyed Acrylic  
Abrasion Resistance: 18,000 RUBS  
FR Standard: BS EN 1021-1



## Sun Acrylic 2

980.-/Yard



## SCR 135/15

Outdoor Upholstery

Width: 150 cm (59"), Weight: 274 g/m2  
Composition: 100% Solution-Dyed Acrylic  
Abrasion Resistance: 18,000 RUBS  
FR Standard: BS EN 1021-1



## Sun Acrylic 2

980.-/Yard



## SCR 135/16

Outdoor Upholstery

Width: 150 cm (59"), Weight: 274 g/m<sup>2</sup>  
Composition: 100% Solution-Dyed Acrylic  
Abrasion Resistance: 18,000 RUBS  
FR Standard: BS EN 1021-1



## Sun Acrylic 2

980.-/Yard



## SCR 135/17

Outdoor Upholstery

Width: 150 cm (59"), Weight: 274 g/m2  
Composition: 100% Solution-Dyed Acrylic  
Abrasion Resistance: 18,000 RUBS  
FR Standard: BS EN 1021-1



## Sun Acrylic 2

980.-/Yard



# SCR 135/18

Outdoor Upholstery

Width: 150 cm (59"), Weight: 274 g/m2  
Composition: 100% Solution-Dyed Acrylic  
Abrasion Resistance: 18,000 RUBS  
FR Standard: BS EN 1021-1



# Sun Acrylic 2



980.-/Yard




SCR 135/03

Outdoor Upholstery

Sun Acrylic 2

Width: 150 cm (59"), Weight: 274 g/m2  
Composition: 100% Solution-Dyed Acrylic  
Abrasion Resistance: 18,000 RUBS  
FR Standard: BS EN 1021-1



980.-/Yard




SCR 134/08

Outdoor Upholstery

Sun Acrylic 1

Width: 150 cm (59"), Weight: 274 g/m2  
Composition: 100% Solution-Dyed Acrylic  
Abrasion Resistance: 18,000 RUBS  
FR Standard: BS EN 1021-1




980.-/Yard



SCR 134/02

Outdoor Upholstery

Width: 150 cm (59"), Weight: 274 g/m2  
Composition: 100% Solution-Dyed Acrylic  
Abrasion Resistance: 18,000 RUBS  
FR Standard: BS EN 1021-1



Sun Acrylic 1

980.-/Yard



SCR 134/01

Outdoor Upholstery

Sun Acrylic 1

Width: 150 cm (59"), Weight: 274 g/m2  
Composition: 100% Solution-Dyed Acrylic  
Abrasion Resistance: 18,000 RUBS  
FR Standard: BS EN 1021-1



STANDARD 100



980.-/Yard





SCR 134/07

Outdoor Upholstery

Sun Acrylic 1

Width: 150 cm (59"), Weight: 274 g/m2  
Composition: 100% Solution-Dyed Acrylic  
Abrasion Resistance: 18,000 RUBS  
FR Standard: BS EN 1021-1



980.-/Yard





SWO 599/01

Outdoor Upholstery

NEW COLLECTION

Sun Wool

Width: 140 cm (55"), Weight: 353 g/m2  
Composition: 100% Solution-Dyed Olefin  
Abrasion Resistance: 22,000 RUBS  
FR Standard: BS EN 1021-1:2014



Colour Fastness

Water Repellent

Oil Repellent

Cigarette Resistance

Environmental Friendly

Anti-Fungal

Anti-Bacterial

Durability

890.-/Yard



**SWO 599/02**

Outdoor Upholstery


NEW COLLECTION

Sun Wool

Width: 140 cm (55"), Weight: 353 g/m2  
Composition: 100% Solution-Dyed Olefin  
Abrasion Resistance: 22,000 RUBS  
FR Standard: BS EN 1021-1:2014



STANDARD 100



Colour Fastness



Water Repellent



Oil Repellent



Cigarette Resistance




Environmental Friendly



Anti-Fungal




Anti-Bacterial



Durability

**890.-/Yard**



SUY 600/01

Outdoor Upholstery

NEW COLLECTION

Sun Voyage

Width: 140 cm (55"), Weight: 441 g/m2  
Composition: 100% Solution-Dyed Olefin  
Abrasion Resistance: 35,000 RUBS  
FR Standard: BS EN 1021-1:2014



890.-/Yard






SUY 600/02

Outdoor Upholstery

NEW COLLECTION

Sun Voyage

Width: 140 cm (55"), Weight: 441 g/m2  
Composition: 100% Solution-Dyed Olefin  
Abrasion Resistance: 35,000 RUBS  
FR Standard: BS EN 1021-1:2014



Colour Fastness

Water Repellent

Oil Repellent

Cigarette Resistance


Environmental Friendly

Anti-Fungal

Anti-Bacterial

Durability

890.-/Yard



SUY 600/03

Outdoor Upholstery


NEW COLLECTION

Sun Voyage

Width: 140 cm (55"), Weight: 441 g/m2  
Composition: 100% Solution-Dyed Olefin  
Abrasion Resistance: 35,000 RUBS  
FR Standard: BS EN 1021-1:2014



890.-/Yard



SUY 600/04

Outdoor Upholstery


NEW COLLECTION

Sun Voyage

Width: 140 cm (55"), Weight: 441 g/m2  
Composition: 100% Solution-Dyed Olefin  
Abrasion Resistance: 35,000 RUBS  
FR Standard: BS EN 1021-1:2014



STANDARD 100



Colour Fastness



Water Repellent



Oil Repellent



Cigarette Resistance




Environmental Friendly



Anti-Fungal




Anti-Bacterial



Durability

890.-/Yard



SUY 600/05

Outdoor Upholstery

NEW COLLECTION

Sun Voyage

Width: 140 cm (55"), Weight: 441 g/m2  
Composition: 100% Solution-Dyed Olefin  
Abrasion Resistance: 35,000 RUBS  
FR Standard: BS EN 1021-1:2014



890.-/Yard



SUY 600/06

Outdoor Upholstery

NEW COLLECTION

Sun Voyage

Width: 140 cm (55"), Weight: 441 g/m2  
Composition: 100% Solution-Dyed Olefin  
Abrasion Resistance: 35,000 RUBS  
FR Standard: BS EN 1021-1:2014



890.-/Yard



STW 569/01

Outdoor Upholstery

Suntweed

Width: 150 cm (59"), Weight: 365 g/m<sup>2</sup>  
Composition: 100% Solution-Dyed Olefin  
Abrasion Resistance: 10,000 RUBS  
FR Standard: BS EN 1021-1



790.-/Yard





STW 569/02

Outdoor Upholstery

Suntweed

Width: 150 cm (59"), Weight: 365 g/m<sup>2</sup>  
Composition: 100% Solution-Dyed Olefin  
Abrasion Resistance: 10,000 RUBS  
FR Standard: BS EN 1021-1



Colour Fastness

Water Repellent

Oil Repellent

Cigarette Resistance

Environmental Friendly

Anti-Fungal

Anti-Bacterial

Durability

790.-/Yard



STW 569/03

Outdoor Upholstery

Suntweed

Width: 150 cm (59"), Weight: 365 g/m<sup>2</sup>  
Composition: 100% Solution-Dyed Olefin  
Abrasion Resistance: 10,000 RUBS  
FR Standard: BS EN 1021-1



STANDARD 100



Colour Fastness



Water Repellent



Oil Repellent



Cigarette Resistance




Environmental Friendly



Anti-Fungal



Anti-Bacterial



Durability

790.-/Yard





STW 569/04

Outdoor Upholstery

Suntweed

Width: 150 cm (59"), Weight: 365 g/m2  
Composition: 100% Solution-Dyed Olefin  
Abrasion Resistance: 10,000 RUBS  
FR Standard: BS EN 1021-1



Colour Fastness

Water Repellent

Oil Repellent

Cigarette Resistance

Environmental Friendly

Anti-Fungal

Anti-Bacterial

Durability

790.-/Yard






STW 569/05

Outdoor Upholstery

Suntweed

Width: 150 cm (59"), Weight: 365 g/m2  
Composition: 100% Solution-Dyed Olefin  
Abrasion Resistance: 10,000 RUBS  
FR Standard: BS EN 1021-1



Colour Fastness

Water Repellent

Oil Repellent

Cigarette Resistance

Environmental Friendly

Anti-Fungal

Anti-Bacterial

Durability

790.-/Yard





SUK 570/01

Outdoor Upholstery

Sunsack

Width: 150 cm (59"), Weight: 363 g/m<sup>2</sup>  
Composition: 100% Solution-Dyed Olefin  
Abrasion Resistance: 20,000 RUBS  
FR Standard: BS EN 1021-1



Colour Fastness

Water Repellent

Oil Repellent

Cigarette Resistance

Environmental Friendly

Anti-Fungal

Anti-Bacterial

Durability

690.-/Yard



SUK 570/02


Outdoor Upholstery

Sunsack

Width: 150 cm (59"), Weight: 363 g/m<sup>2</sup>  
Composition: 100% Solution-Dyed Olefin  
Abrasion Resistance: 20,000 RUBS  
FR Standard: BS EN 1021-1



STANDARD 100



Colour Fastness



Water Repellent



Oil Repellent



Cigarette Resistance




Environmental Friendly



Anti-Fungal



Anti-Bacterial



Durability

690.-/Yard



SUL 412/01

Outdoor Upholstery

Sun Linn

Width: 140 cm (55"), Weight: 362 g/m<sup>2</sup>  
Composition: 100% Solution-Dyed Olefin  
Abrasion Resistance: 16,000 RUBS  
FR Standard: BS EN 1021-1:2006



STANDARD 100



Colour Fastness




Water Repellent



Oil Repellent



Cigarette Resistance



Environmental Friendly



Anti-Fungal



Anti-Bacterial



Durability

890.-/Yard



SUL 412/02

Outdoor Upholstery

Sun Linn

Width: 140 cm (55"), Weight: 362 g/m<sup>2</sup>  
Composition: 100% Solution-Dyed Olefin  
Abrasion Resistance: 16,000 RUBS  
FR Standard: BS EN 1021-1:2006



STANDARD 100



Colour Fastness



Water Repellent



Oil Repellent



Cigarette Resistance




Environmental Friendly



Anti-Fungal



Anti-Bacterial



Durability

890.-/Yard



SUN 495/01

Outdoor Upholstery

Sun Calico

Width: 140 cm (55"), Weight: 182 g/m<sup>2</sup>  
Composition: 3% Solution-Dyed Polyester,  
97% Solution-Dyed Olefin  
Abrasion Resistance: 10,000 RUBS  
FR Standard: BS EN 1021-1



Colour  
Fastness



Water  
Repellent



UV  
STANDARD 801  
RAL 7204 - RINWOLTE



Oil Repellent



Cigarette  
Resistance



Environmental  
Friendly



Anti-Fungal



Anti-Bacterial



Durability



590.-/Yard



**SUN 495/02**

Outdoor Upholstery

Sun Calico

Width: 140 cm (55"), Weight: 182 g/m<sup>2</sup>  
Composition: 3% Solution-Dyed Polyester,  
97% Solution-Dyed Olefin  
Abrasion Resistance: 10,000 RUBS  
FR Standard: BS EN 1021-1



Colour Fastness



Water Repellent



UV STANDARD 801



soil & stain



Sanitized



OEKO TEX  
STANDARD 100



Oil Repellent




Cigarette Resistance




Environmental Friendly



Anti-Fungal



Anti-Bacterial



Durability

**590.-/Yard**



SUN 495/03

Outdoor Upholstery

Sun Calico

Width: 140 cm (55"), Weight: 182 g/m<sup>2</sup>  
Composition: 3% Solution-Dyed Polyester,  
97% Solution-Dyed Olefin  
Abrasion Resistance: 10,000 RUBS  
FR Standard: BS EN 1021-1



Colour Fastness



Water Repellent



UV STANDARD 80



soil & stain



Sanitized



STANDARD 100



Oil Repellent



Cigarette Resistance




Environmental Friendly



Anti-Fungal



Anti-Bacterial



Durability

590.-/Yard



SUN 495/04

Outdoor Upholstery

Sun Calico

Width: 140 cm (55"), Weight: 182 g/m<sup>2</sup>  
Composition: 3% Solution-Dyed Polyester,  
97% Solution-Dyed Olefin  
Abrasion Resistance: 10,000 RUBS  
FR Standard: BS EN 1021-1



Colour  
Fastness



Water  
Repellent



UV  
STANDARD 801  
RAL 7004 - 10000000




STANDARD  
100



Oil Repellent



Cigarette  
Resistance




Environmental  
Friendly



Anti-Fungal



Anti-Bacterial



Durability

590.-/Yard




SUN 495/05

Outdoor Upholstery

Sun Calico

Width: 140 cm (55"), Weight: 182 g/m<sup>2</sup>  
Composition: 3% Solution-Dyed Polyester,  
97% Solution-Dyed Olefin  
Abrasion Resistance: 10,000 RUBS  
FR Standard: BS EN 1021-1



Colour Fastness



Water Repellent



UV STANDARD 801



Oil Repellent



Cigarette Resistance




Environmental Friendly



Anti-Fungal



Anti-Bacterial



Durability



590.-/Yard



SUN 495/06

Outdoor Upholstery

Sun Calico

Width: 140 cm (55"), Weight: 182 g/m<sup>2</sup>  
Composition: 3% Solution-Dyed Polyester,  
97% Solution-Dyed Olefin  
Abrasion Resistance: 10,000 RUBS  
FR Standard: BS EN 1021-1



Colour Fastness



Water Repellent



UV STANDARD 801



Oil Repellent



Cigarette Resistance



Environmental Friendly



Anti-Fungal



Anti-Bacterial



Durability



590.-/Yard



SUN 495/07

Outdoor Upholstery

Sun Calico

Width: 140 cm (55"), Weight: 182 g/m<sup>2</sup>  
Composition: 3% Solution-Dyed Polyester,  
97% Solution-Dyed Olefin  
Abrasion Resistance: 10,000 RUBS  
FR Standard: BS EN 1021-1



Colour  
Fastness



Water  
Repellent



UV  
STANDARD 801  
90.1.2004 - 10/02/07



STANDARD  
100



Oil Repellent



Cigarette  
Resistance



Environmental  
Friendly



Anti-Fungal



Anti-Bacterial



Durability

590.-/Yard



SUN 495/08

Outdoor Upholstery

Sun Calico

Width: 140 cm (55"), Weight: 182 g/m<sup>2</sup>  
Composition: 3% Solution-Dyed Polyester,  
97% Solution-Dyed Olefin  
Abrasion Resistance: 10,000 RUBS  
FR Standard: BS EN 1021-1



Colour  
Fastness



Water  
Repellent



UV  
STANDARD 801  
10.1.2004 - 10/2018



soil &  
stain



Sanitized  
Active



OEKO  
TEX®  
STANDARD  
100



Oil Repellent



Cigarette  
Resistance



Environmental  
Friendly



Anti-Fungal



Anti-Bacterial



Durability

590.-/Yard




SUN 495/09

Outdoor Upholstery

Sun Calico

Width: 140 cm (55"), Weight: 182 g/m2  
Composition: 3% Solution-Dyed Polyester,  
97% Solution-Dyed Olefin  
Abrasion Resistance: 10,000 RUBS  
FR Standard: BS EN 1021-1



Colour  
Fastness



Water  
Repellent



UV  
STANDARD 801  
RAL 1204 - 10000101



Oil Repellent



Cigarette  
Resistance




Environmental  
Friendly



Anti-Fungal



Anti-Bacterial



Durability



590.-/Yard



## SUN 495/10

Outdoor Upholstery

Width: 140 cm (55"), Weight: 182 g/m<sup>2</sup>  
Composition: 3% Solution-Dyed Polyester,  
97% Solution-Dyed Olefin  
Abrasion Resistance: 10,000 RUBS  
FR Standard: BS EN 1021-1



Colour  
Fastness



Water  
Repellent



10,000 RUBS  
STANDARD 001  
BS EN 1021-1



soil &  
stain  
Resistance



Sanitized  
Active



OEKO  
TEX®  
STANDARD  
100



Oil Repellent



Cigarette  
Resistance



Environmental  
Friendly



Anti-Fungal



Anti-Bacterial



Durability

Sun Calico

590.-/Yard



SUN 495/11

Outdoor Upholstery

Sun Calico

Width: 140 cm (55"), Weight: 182 g/m<sup>2</sup>  
Composition: 3% Solution-Dyed Polyester,  
97% Solution-Dyed Olefin  
Abrasion Resistance: 10,000 RUBS  
FR Standard: BS EN 1021-1



Colour Fastness



Water Repellent



UV STANDARD 801



Oil Repellent



Cigarette Resistance




Environmental Friendly



Anti-Fungal



Anti-Bacterial



Durability



590.-/Yard




SUN 495/12

Outdoor Upholstery

Sun Calico

Width: 140 cm (55"), Weight: 182 g/m<sup>2</sup>  
Composition: 3% Solution-Dyed Polyester,  
97% Solution-Dyed Olefin  
Abrasion Resistance: 10,000 RUBS  
FR Standard: BS EN 1021-1



Colour  
Fastness



Water  
Repellent



UV  
STANDARD 801  
ISO 12546 - 1000000h



soil &  
stain



Sanitized  
Active




OEKO  
TEX®  
STANDARD  
100



Oil Repellent



Cigarette  
Resistance




Environmental  
Friendly



Anti-Fungal



Anti-Bacterial



Durability

590.-/Yard

*‘Embrace sunny days with durable,  
solution-dyed upholstery that enhances  
your outdoor space with vibrant,  
fade-resistant colours’*

**VICHITR**



VC Fabric Company Limited  
1231, VICHITR Building Sukhumvit 71 Rd.,  
Suan Luang, Bangkok 10250

Facebook: Vichitr, Instagram: vichitr\_official  
[www.vichitr.com](http://www.vichitr.com)